


ADVANCED TOPICS IN MECHANICAL BEHAVIOR OF MATERIALS



Edited by

Meftah Hrairi




IIUM PRESS

INTERNATIONAL ISLAMIC UNIVERSITY MALAYSIA

ADVANCED TOPICS IN MECHANICAL BEHAVIOR OF MATERIALS

Edited by

Meftah Hrairi



IIUM Press

Published by:
IIUM Press
International Islamic University Malaysia

First Edition, 2011
©IIUM Press, IIUM

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without any prior written permission of the publisher.

Perpustakaan Negara Malaysia

Cataloguing-in-Publication Data

ISBN: 978- 967-418-174-1

Member of Majlis Penerbitan Ilmiah Malaysia – MAPIM
(Malaysian Scholarly Publishing Council)

Printed by :

IIUM PRINTING SDN. BHD.

No. 1, Jalan Industri Batu Caves 1/3

Taman Perindustrian Batu Caves

Batu Caves Centre Point

68100 Batu Caves

Selangor Darul Ehsan

Contents

| | |
|-----------------------|-----|
| Preface..... | x |
| Acknowledgments | xii |
| Editor..... | xiv |
| Contributors | xvi |

Section 1 Buckling

| | | |
|----|---|----|
| 1 | Cylindrical Shell Buckling Under Axial Compression Load | 3 |
| | <i>Qasim H. Shah, Hasan M. Abid, Abid B. Rosli</i> | |
| 2 | Experimental Setup of Empty and Water Filled Cylindrical Shell Buckling | 8 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 3 | Experimental Results of Empty and Water Filled Cylindrical Shell Buckling | 13 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 4 | Experimental Results of Empty and Water Filled Cylindrical Shell Buckling for 50mm Stroke | 18 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 5 | Experimental Results of Empty and Water Filled Cylindrical Shell Buckling for 60mm Stroke | 24 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 6 | Simulation Setup of Empty and Water Filled Cylindrical Shell Buckling | 30 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 7 | Simulation Results of Empty and Water Filled Cylindrical Shell Buckling | 35 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 8 | Experimental and Simulation Results of Cylindrical Shell Buckling | 41 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 9 | Buckling and Crush Analysis of Light Weight Structure | 48 |
| | <i>Kassim A. Abdullah and Wan Nur Hidayah Wan Sulaiman</i> | |
| 10 | Analysis of Lightweight Structural Tubes for Crashworthy Car Body | 54 |
| | <i>Kassim A. Abdullah and Zahra Roslan</i> | |

Section 2 Impact

| | | |
|----|--|----|
| 11 | Pipe Whip Impact | 61 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 12 | Experimental Setup of Pipe Whip Impact | 66 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |

| | | |
|-----------|--|------------|
| 13 | Experimental Results of Pipe Whip Impact | 71 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 14 | Simulation Setup of Pipe Whip Impact | 77 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 15 | Simulation Results of Pipe Whip Impact at 55° Angle | 82 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 16 | Simulation Results of Pipe Whip Impact at 90° Angle | 87 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 17 | Failure Mechanism of PC Armor Plates with PMMA Sacrificial Layer Subjected to Impact | 93 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 18 | Damage of Polycarbonate Armor Plate Subjected to Impact | 106 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 19 | Finite Element to Predict Damage of a Polycarbonate Armor Plate Subjected to Impact | 112 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 20 | Energy Absorbing Capability of Materials Subjected to Impact Under Gravity Loading | 120 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 21 | Damage Assessment of Liquid Filled Container Subjected to Free Fall on Rigid Steel Plate | 127 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 22 | Numerical Analysis of Materials Energy Absorbing Capability Under Gravity Loading Impact .. | 134 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 23 | Numerical Assessment of Liquid Filled Container Subjected to Free Fall on Rigid Steel Plate | 141 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |

Section 3 Design and Manufacturing

| | | |
|-----------|---|------------|
| 24 | Overview of the Powder Metallurgy Process | 151 |
| | <i>Meftah Hrairi, Asmu'i Hussi, Fadzly Mohamad Ravi</i> | |
| 25 | Mechanical Properties of Sintered Aluminum Alloy Compacts | 156 |
| | <i>Meftah Hrairi, Fadzly Mohamad Ravi</i> | |
| 26 | Numerical Simulation of Green Compacts | 161 |
| | <i>Meftah Hrairi, Asmu'i Hussin</i> | |
| 27 | Experimental Studies of Dieless Forming | 167 |
| | <i>Meftah Hrairi, Saiful Mazwan Nawi</i> | |
| 28 | Study of Spot Welding Process | 172 |
| | <i>Meftah Hrairi, Fatimah Jamil</i> | |
| 29 | General Framework for Inverse Identification of Consecutive Parameters | 177 |

| | | |
|-----------|---|------------|
| 30 | Inverse Parameter Identification of Elastic and Inelastic Constitutive Material Models | 183 |
| | <i>Meftah Hrairi</i> | |
| 31 | Enhancing Magnetic Particle Testing of Automotive Parts | 189 |
| | <i>Meftah Hrairi, Salah Echraf</i> | |
| 32 | Design and Fabrication of the Testing Model of the Vehicle Structure Test System | 196 |
| | <i>Kassim A. Abdullah and Cheah Siew Loong</i> | |
| 33 | Design Analysis of Laminated Composite Ladder Chassis Frame of Light Truck | 202 |
| | <i>Kassim A. Abdullah and Mohd Zaimi bin Rosli</i> | |
| 34 | Design and Development of Driving System for Disabled Driver | 208 |
| | <i>Kassim A. Abdullah, J.S. Mohamed Ali, Mohd Azlan bin Habeeb Rahmathullah, Ruzael Amir Afendi b. Kaharuddin</i> | |

Section 4 Liquid Sloshing

| | | |
|-----------|---|------------|
| 35 | Liquid Sloshing | 215 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 36 | Experimental Study of Liquid Slop Dynamics in a Half Filled Cylindrical Tank | 220 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 37 | Experimental Results of Liquid Slop in a Cylindrical Tank with Different Fill Levels | 226 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 38 | Simulation Model of 3D Liquid Slop in a Partially Filled Cylindrical Tank | 233 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 39 | Simulation Results of Liquid Slop in a Partially Filled Cylindrical Tank | 238 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| 40 | Numerical and Experimental Results of Liquid Slop in a Partially Filled Cylindrical Tank | 242 |
| | <i>Qasim H. Shah, Hasan M. Abid, Adib B. Rosli</i> | |
| | Index..... | 247 |

10

ANALYSIS OF LIGHTWEIGHT STRUCTURAL TUBES FOR CRASHWORTHY CAR BODY

Kassim A. Abdullah and Zahra Roslan

1. INTRODUCTION

Basically, the study of vehicle crashworthiness is associated with investigations of the energy absorption capability of components of a vehicle during an impact. A crashworthy car body should be able to dissipate energy from an impact through its body in the form of structure deformation and impede any means of the energy from reaching the vehicle occupants [1]. In a frontal crash the longitudinal rails are subjected directly to 50% of the crash energy [2]. As for that, this project focuses on studying the longitudinal rails and developing methods in improving the crashworthiness of the rails.

2. METHOD OF INVESTIGATION

Simulations involved crash tests and the analysis of the longitudinal rail module by varying materials and cross section geometry properties. For materials, Magnesium alloys, aluminum alloys and also steel had been compared and studied. In terms of cross sectional geometry; the study made compares five basic different geometries. These are Sharp-edge rectangle, hexagonal, elongated oval, circular and round edged rectangle

In material comparison, the crashworthiness factor Ψ was used as suggested in [3] and expressed as:

$$\psi = \frac{3GV_0^2}{8\sigma_0 A \delta_f \epsilon_r} \quad (1)$$